



County of San Diego



R. J. Sommerville
Air Pollution Control Officer

**NOTICE OF WORKSHOP
FOR DISCUSSION OF PROPOSED AMENDMENTS TO
RULE 97 - EMERGENCY VARIANCE AND
RULE 98 - BREAKDOWN CONDITIONS: EMERGENCY VARIANCE**

The San Diego Air Pollution Control District will hold a public meeting to consider proposed amendments to Rules 97 and 98. Comments concerning the proposed amendments may be submitted in writing before, or made at the workshop which is scheduled as follows:

DATE: November 7, 1990
TIME: 11:00 a.m.
PLACE: Farm Advisor's Conference Room
County Operations Center
Building #4
5555 Overland Avenue
San Diego, CA 92123

The proposed amendments to Rule 97 delete reference to rules no longer in effect. Rule 98(d)(2), regarding Breakdown: Emergency Variance, has been amended to reflect current procedures in handling requests for Emergency Variances.

If you would like a copy of proposed amendments to Rules 97 and 98, please call Juanita Ogata at (619) 694-3307. If you have any questions concerning the proposal, please call Teresa Morris at (619) 694-3342 or me at (619) 694-3303.

RICHARD J. SMITH
Deputy Director

RJSm:jo
100490